

CORRECTION

Open Access



Correction: Synaptic dysfunction of Aldh1a1 neurons in the ventral tegmental area causes impulsive behaviors

Xinyan Li^{1,2†}, Wenting Chen^{2,3†}, Xian Huang^{2,4†}, Wei Jing^{2,4†}, Tongmei Zhang^{2,4}, Quntao Yu^{2,4}, Hongyan Yu^{1,2}, Hao Li^{2,4}, Qing Tian^{2,4}, Yumei Ding^{2,5*} and Youming Lu^{1,2,4*}

Correction: *Mol Neurodegeneration* 16, 73 (2021)
<https://doi.org/10.1186/s13024-021-00494-9>

Published online: 15 May 2023

In the version initially published online of this article [1], the representative images of Fig. 4a and Fig. 6a were misused. An image of Aldh1a1^{Gi-ChR2} in Fig. 4a (lower left) and an image of L5PN^{Gi-ChR2} in Fig. 6a (right) were the photographs from the other respective experimental groups. The errors have been corrected in PDF version of the article. This correction has been appended to the PDF version. The authors regret the errors.

Reference

1. Li X, et al. Synaptic dysfunction of Aldh1a1 neurons in the ventral tegmental area causes impulsive behaviors. *Mol Neurodegeneration*. 2021;16:73. <https://doi.org/10.1186/s13024-021-00494-9>.

[†]Xinyan Li, Wenting Chen, Xian Huang and Wei Jing contributed equally to this work.

The original article can be found online at <https://doi.org/10.1186/s13024-021-00494-9>.

*Correspondence:

Yumei Ding
yumeiding@hust.edu.cn
Youming Lu
lym@hust.edu.cn

¹ Department of Physiology, School of Basic Medicine and Tongji Medical College, Huazhong University of Science and Technology, Wuhan 4030030, China

² Wuhan Center of Brain Science, Huazhong University of Science and Technology, Wuhan 430030, China

³ Department of Neurobiology, School of Basic Medicine and Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China

⁴ Department of Pathophysiology, School of Basic Medicine and Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China

⁵ Department of Stomatology, School of Stomatology, Union Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 4 a, The expression of Gi-ChR2 and GFP in Aldh1a1 neurons (Aldh1a1^{Gi-ChR2}) and EGNIS (EGNIS^{GFP}), respectively




Fig. 6 a, Representative images show the expression of Gi-ChR2 in L5PN (L5PN^{Gi-ChR2} mice)